

SYCAMORE

Bathroom Lighting 2025



Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM

Welcome to our new
Bathroom Lighting Collection
for 2025!



Illuminating Spaces
KITCHEN | BEDROOM | BATHROOM

Our Technical Team

Looking for some assistance with any of your projects? Our technical and design experts are here to help, just follow the three simple steps below;

3 STEP DESIGN SERVICE



1. Send your plan along with a short brief to tech@sycamoreLED.com
2. Our experts design the perfect lighting scheme for your project
3. You receive a quotation including a full list of products ready to order

Or fill out the dedicated form on our website!



Bespoke Lighting Service

Our technical and design team also offer a bespoke lighting service.

For further details please contact our team using the email address below, or call us to see how we can help.

tech@sycamoreled.com
Tel: 0113 2866686

5-Year Warranty

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee* on the majority of our range, ensuring peace of mind for our customers.

*Certain products are not included in this guarantee, as indicated on the relevant catalogue pages. Please refer to the product-specific information for further details.

For full terms and conditions, please visit our website.

Contents

8	Tunable LED Mirror Cabinets
14	Tunable LED Mirrors
52	Classic LED Mirrors
64	Battery LED Mirrors
66	Vanity LED Mirrors
67	Demister Pad
69	IP65 Fire Rated LED Downlights
70	Aspen 1 & 2 IP44 LED Downlights
71	IP44 Decorative Ceiling Lights
73	IP44 Rated Pendant Lights
77	IP44 Rated Wall Lights
79	IP Rated Flexible LED Strip
80	Aluminium Extrusion for LED Strip
82	Cabinet Lighting
83	Plinth Lighting
83	Shelf Lighting
85	Wireless Lighting Controls
86	Lighting Controls - Door & Swipe
87	Lighting Controls - PIR Motion Sensors
88	Extractor Fans
92	Shaver Sockets
93	Bathroom Regulations
94	Glossary & Terms and Conditions

Our products are listed on



Our Mirrors & Cabinets at a Glance

Mirror Name	Mirror Type	Part Number	Page Number	Dimensions (mm w x h)	Portrait or Landscape	Touch Sensor	Demister	Tunable White	Dimmable	Shaver Socket	USB Charging	Wireless Charging	Bluetooth Speakers
Balmoral Single	Tunable Cabinet	SY9046/SINGLE	8 - 9	550 x 700	Portrait	✓	✓	✓	✓	✓	✓		✓
Balmoral Double	Tunable Cabinet	SY9046/DOUBLE	8 - 9	800 x 700	Portrait	✓	✓	✓	✓	✓	✓		✓
Balmoral Triple	Tunable Cabinet	SY9046/TRIPLE	8 - 9	1050 x 700	Portrait	✓	✓	✓	✓	✓	✓		✓
Apollo Single	Tunable Cabinet	SY9112	10 - 11	500 x 900	Portrait	✓*		✓	✓	✓	✓	✓	✓
Athena Single	Tunable Cabinet	SY9035	12 - 13	500 x 700	Portrait	✓	✓	✓	✓	✓			
Etienne	Tunable Mirror	SY9113	14 - 15	1200 x 900	Round	✓	✓	✓	✓				
Marseille 600	Tunable Mirror	SY9114/6	16 - 17	600 dia	Round	✓	✓	✓	✓				
Marseille 800	Tunable Mirror	SY9114/8	16 - 17	800 dia	Round	✓	✓	✓	✓				
Rochelle 600	Tunable Mirror	SY9115/6	18 - 19	600 dia	Round	✓	✓	✓	✓				
Rochelle 800	Tunable Mirror	SY9115/8	18 - 19	800 dia	Round	✓	✓	✓	✓				
Hamilton	Tunable Mirror	SY9015/Speaker	20 - 21	800 x 600	Landscape	✓	✓	✓	✓				✓
Windsor 1	Tunable Mirror	SY9016/Speaker	22 - 23	600 x 800	Portrait	✓	✓	✓	✓				✓
Windsor 2	Tunable Mirror	SY9049/Speaker	22 - 23	500 x 700	Portrait	✓	✓	✓	✓				✓
Valletta Black	Tunable Mirror	SY9108BL	24 - 25	600 dia	Round	✓	✓	✓	✓				
Valletta Gold	Tunable Mirror	SY9108G	24 - 25	600 dia	Round	✓	✓	✓	✓				
Nara Pebble	Tunable Mirror	SY9110	26 - 27	550 x 800	Both	✓	✓	✓	✓				
Berlin	Tunable Mirror	SY9111	28 - 29	400 x 800	Portrait	✓	✓	✓	✓				
Porto	Tunable Mirror	SY9062	30 - 31	600 x 700	Portrait	✓	✓	✓	✓	✓			
Georgia	Tunable Mirror	SY9034	32 - 33	600 dia	Round	✓	✓	✓	✓				
Langley	Tunable Mirror	SY9033	34 - 35	500 x 700	Both	✓	✓	✓	✓				
Halifax	Tunable Mirror	SY9029	36 - 37	500 x 700	Both	✓	✓	✓	✓				
Saturn 1	Tunable Mirror	SY9030	38 - 39	500 x 600	Both	✓	✓	✓	✓				
Saturn 2	Tunable Mirror	SY9031	38 - 39	900 x 600	Both	✓	✓	✓	✓				
Saturn 3	Tunable Mirror	SY9032	38 - 39	1150 x 600	Both	✓	✓	✓	✓				
Saturn 4	Tunable Mirror	SY9055	38 - 39	1500 x 600	Both	✓	✓	✓	✓				
Reims	Tunable Mirror	SY9059	40 - 41	500 x 700	Portrait	✓	✓	✓	✓				
Kingston	Tunable Mirror	SY9047	42 - 43	500 x 700	Portrait	✓	✓	✓	✓	✓			
Milton	Tunable Mirror	SY9007	44 - 45	600 x 800	Portrait	✓	✓	✓	✓				
Stratford	Tunable Mirror	SY9008	46 - 47	600 x 800	Portrait	✓	✓	✓	✓				
Sudbury	Tunable Mirror	SY9009	48 - 49	600 dia	Round	✓	✓	✓	✓				
Hera	Tunable Mirror	SY9027	50 - 51	500 x 700	Portrait	✓	✓	✓	✓	✓			
Ares	Tunable Mirror	SY9028	50 - 51	390 x 500	Portrait	✓	✓	✓	✓	✓			
Polar	Classic Mirror	SY9106	52 - 53	500 x 700	Both	✓	✓						
Bailey	Classic Mirror	SY9105	54 - 55	500 x 700	Portrait	✓	✓						
Belice	Classic Mirror	SY9102	56 - 57	500 x 700	Portrait	✓	✓			✓			
Malmo	Classic Mirror	SY9100	56 - 57	390 x 500	Portrait	✓	✓			✓			
Stockholm	Classic Mirror	SY9104	58 - 59	600 x 800	Both	✓	✓						
Helsinki	Classic Mirror	SY9101	58 - 59	500 x 700	Both	✓	✓						
Oslo	Classic Mirror	SY9060	60 - 61	600 dia	Round	✓	✓						
Florence	Classic Mirror	SY9061	62 - 63	390 x 500	Portrait	✓							
Comino 1	Battery Mirror	SY9107/1	64 - 65	390 x 500	Portrait	✓*							
Comino 2	Battery Mirror	SY9107/2	64 - 65	500 x 700	Portrait	✓*							

*The Apollo cabinet features a wave sensor, and the Comino battery mirrors feature a motion sensor

Style Guide

Bathroom Lighting

Pendant lighting in a bathroom can be both functional and stylish, enhancing the design whilst providing extra illumination.

All of our bathroom pendants have an IP44 rating making them suitable for installation in a bathroom.



Mirrors are more than just practical essentials! They are key design elements that can transform your space. We offer a wide range of options featuring additional useful technology, such as speakers, shaver sockets & USB charging ports.





Ceiling lighting is essential for a well-lit and functional bathroom. Choose from a range of spotlights, some with switchable LED colour. For something more decorative, our collection of IP44 rated ceiling lights covers all requirements.



LED Strip can be used in many different areas of the bathroom and can create some amazing looks! Add to a shower niche to add ambient lighting, or under vanity units to provide a floating effect.

Tunable White LED Mirrors

- **What is Tunable White?**

Tunable White means that the LED colour can be changed from Warm White, Natural White or Cool White to suit the decor of the bathroom or individual preference. Our tunable white mirrors can also be dimmed, all by using the touch or swipe buttons built in to the mirrors. Please see pages 8 to 51 for all Tunable options.

We also offer a Classic Collection. These mirrors are Natural White (4000K), please refer to pages 52 to 63.

Mirrored panels on
internal doors

Adjustable
glass shelves

Stylish black interior

Middle section of triple
door cabinet also opens
to reveal two glass
shelves




Balmoral Triple Cabinet

Balmoral Tunable Cabinet


With Speaker, Shaver Socket & USB




- ▶ Bluetooth Speaker
- ▶ Shaver Socket
- ▶ USB Charging Points
- ▶ IP44 Rated
- ▶ Diffused Border, Under & Over Cabinet Lighting
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 64W (total including speakers and shaver)
- ▶ 900mm Cable Included



SY9046/SINGLE
Single Cabinet 550mm x 700mm x 130mm
£757.00




SY9046/DOUBLE
Double Cabinet 800mm x 700mm x 130mm
£920.00



SY9046/TRIPLE
Triple Cabinet 1050mm x 700mm x 130mm
£1050.00

Adjustable glass shelves inside 

Extra illumination under mirror 


 Mirrored panels to the sides of the cabinet

Apollo Tunable Cabinet

With Speaker, Shaver Socket, USB & Wireless Charger



- ▶ Bluetooth Speaker
- ▶ Shaver Socket
- ▶ USB Charging Points
- ▶ Wireless Charger
- ▶ IP44 Rated
- ▶ Diffused Border
- ▶ Wave Sensor x 1
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ 240V
- ▶ 41W (total including speakers and shaver)
- ▶ 1000mm Cable Included



SY9112

Apollo Single Cabinet 500mm x 900mm x 140mm

£978.00

Adjustable glass shelves inside

Mirrored panels to the sides of the cabinet




Athena Tunable Cabinet

With Shaver Socket



- ▶ Shaver Socket
- ▶ IP44 Rated
- ▶ Diffused Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 63W (total including shaver)
- ▶ 900mm Cable Included



SY9035

Athena Single Cabinet 500mm x 700mm x 130mm

£643.00

Stunning Frameless Design




Etienne Tunable

LED Mirror



- ▶ IP44 Rated
- ▶ Frameless Mirror with Back-lit Diffused LED
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 35W
- ▶ 900mm Cable Included



SY9113

Etienne 1200mm x 900mm x 34mm

£546.20



5 YEAR GUARANTEE

NEW!

Hangs in Portrait or Landscape





Marseille 600mm

Marseille Tunable

LED Mirror



- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Frameless Mirror with Back-lit Diffused LED
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 10.4W (600mm) 14.2W (800mm)
- ▶ 900mm Cable Included



SY9114/6
 Marseille 600mm x 546mm x 30mm
£238.05

SY9114/8
 Marseille 800mm x 746mm x 30mm
£317.40

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com

Stunning Frameless
Design



Rochelle 600mm

Rochelle Tunable

LED Mirror




Rochelle 800mm




Rochelle 800mm

- ▶ IP44 Rated
- ▶ Frameless Mirror with Back-lit Diffused LED
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 10.3W (600mm) 14.1W (800mm)
- ▶ 900mm Cable Included



SY9115/6
Rochelle 600mm x 600mm x 30mm
£251.28



SY9115/8
Rochelle 800mm x 800mm x 30mm
£337.24

 5 YEAR GUARANTEE

Built-in Bluetooth
Speakers



Natural White

Hamilton Tunable

LED Mirror with Speaker




Warm White



Cool White

- ▶ Bluetooth Speaker
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 47W
- ▶ 300mm Cable Included



SY9015/SPEAKER

Hamilton 800mm x 600mm x 28mm

£496.00

Built-in Bluetooth
Speakers



Windsor 1 Natural White

Windsor 1 & 2 Tunable

LED Mirror with Speaker




Windsor 2 Natural White




Windsor 2 Cool White

- ▶ Bluetooth Speaker
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 47W (Windsor 1) 34W (Windsor 2)
- ▶ 300mm Cable Included



SY9016/SPEAKER
Windsor 1 600mm x 800mm x 28mm
£496.00



SY9049/SPEAKER
Windsor 2 500mm x 700mm x 28mm
£440.00



On-trend Black
Leather Strap




Black Trim/Natural White

Valletta Tunable

LED Mirror



- ▶ Black or Brushed Gold Trim
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 33W
- ▶ 800mm Cable Included



SY9108BL

Valletta Black Trim 600mm x 600mm x 43mm

£357.00

SY9108G

Valletta Brushed Gold Trim 600mm x 600mm x 43mm

£375.00

Unique Shape, & Hangs in
Portrait or Landscape



Natural White

Nara Pebble Tunable

LED Mirror




Warm White



Cool White

- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Diffused LED Back-Lit Border
- ▶ Touch Sensor x 1
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 22W
- ▶ 900mm Cable Included




SY9110

Nara Pebble 800mm x 550mm x 32mm

£260.00

 5 YEAR GUARANTEE



Natural White

Berlin Tunable

LED Mirror




Warm White



Cool White

- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x1
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 26W
- ▶ 1000mm Cable Included



SY9111
Berlin 400mm x 800mm x 32mm
£317.00

 5 YEAR GUARANTEE




Built-in Shaver Socket



Natural White

Porto Tunable

LED Mirror with Shaver Socket




Warm White



Cool White

- ▶ Built-in Shaver Socket
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 47W
- ▶ 1000mm Cable Included



SY9062
Porto 600mm x 700mm x 60mm
£363.00



5 YEAR GUARANTEE




Natural White

Georgia Tunable

LED Mirror



- ▶ IP44 Rated
- ▶ Diffused LED Border & Black Trim
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 42W
- ▶ 300mm Cable Included



SY9034

Georgia 600mm x 600mm x 32mm

£326.00

 5 YEAR GUARANTEE

Hangs in Portrait or
Landscape



Natural White

Langley Tunable

LED Mirror




Warm White



Cool White

- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Diffused LED Border & Black Trim
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 45W
- ▶ 900mm Cable Included



SY9033

Langley 500mm x 700mm x 32mm

£365.00

Hangs in Portrait or
Landscape




Natural White

Halifax Tunable

LED Mirror




- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Diffused LED Back-Lit Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 45W
- ▶ 900mm Cable Included



SY9029
Halifax 500mm x 700mm x 27mm
£298.00

 5 YEAR GUARANTEE



Hangs in Portrait or
Landscape




Saturn 3 - 1150mm

Saturn Tunable

LED Mirror



- ▶ Hangs in Portrait or Landscape
- ▶ 4 Different Sizes Available
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 1 - 24W, 2 - 40W, 3 - 45W, 4 - 100W
- ▶ 900mm Cable Included



SY9030

Saturn 1 - 500mm x
600mm x 28mm

£301.00

SY9031

Saturn 2 - 900mm x
600mm x 28mm

£427.00

SY9032

Saturn 3 - 1150mm x
600mm x 28mm

£510.00

SY9055

Saturn 4 - 1500mm x
600mm x 28mm

£793.00




Natural White

Reims Tunable

LED Mirror



- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 39W
- ▶ 300mm Cable Included



SY9059
Reims 500mm x 700mm x 41mm
£304.00

Built-in Shaver Socket



Natural White

Kingston Tunable

LED Mirror with Shaver Socket




Warm White



Cool White

- ▶ Shaver Socket
- ▶ IP44 Rated
- ▶ Diffused LED Back-Lit Border
- ▶ Touch Sensor x 1
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 58W
- ▶ 900mm Cable Included



SY9047
Kingston 500mm x 700mm x 57mm
£390.00



5 YEAR GUARANTEE



Natural White

Milton Tunable

LED Mirror




Warm White



Cool White

- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 47W
- ▶ 300mm Cable Included



SY9007
Milton 600mm x 800mm x 28mm
£378.00



5 YEAR GUARANTEE




Natural White

Stratford Tunable

LED Mirror




Warm White



Cool White

- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 47W
- ▶ 300mm Cable Included



SY9008
Stratford 600mm x 800mm x 28mm
£378.00



Sudbury Tunable

LED Mirror




Warm White



Cool White

- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 2
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 42W
- ▶ 300mm Cable Included




SY9009

Sudbury 600mm x 600mm x 28mm

£305.00

 5 YEAR GUARANTEE



Built-in Shaver Socket



Hera 500mm x 700mm Natural White

Hera & Ares Tunable

LED Mirror with Shaver Socket



Ares 390mm x 500mm Natural White





Hera 500mm x 700mm Cool White

- ▶ 2 Sizes Available
- ▶ Built-in Shaver Socket
- ▶ IP44 Rated
- ▶ LED Points to front of mirror
- ▶ Touch Sensor x 1
- ▶ Tunable White (Warm/Natural/Cool White)
- ▶ Dimmable
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 44W
- ▶ 900mm Cable Included



Built-in Shaver Socket



SY9027

Hera 500mm x 700mm x 57mm

£284.00

SY9028

Ares 390 x 500mm x 57mm

£239.00

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com



 Hangs in Portrait or Landscape




Polar Classic

LED Mirror




- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Diffused LED Border & Black Trim
- ▶ Touch Sensor x 1
- ▶ Natural White (4000K)
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 24W
- ▶ 500mm Cable Included



SY9106

Polar 500mm x 700mm x 47mm

£277.00



Handy Built-in Shelf




Bailey Classic

LED Mirror



- ▶ Built-in Shelf
- ▶ IP44 Rated
- ▶ Diffused Back-lit LED Border & Black Trim
- ▶ Touch Sensor x 1
- ▶ Natural White (4000K)
- ▶ Demister (Switches off automatically after 30 minutes)
- ▶ 240V
- ▶ 27W
- ▶ 500mm Cable Included



SY9105

Bailey 500mm x 700mm x 29mm (120mm for shelf)

£369.00




Built-in Shaver Socket




Belice 500mm x 700mm

Belice & Malmo Classic


LED Mirror with Shaver Socket




- ▶ Built-in Shaver Socket
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x1
- ▶ Natural White (4000K)
- ▶ Demister (Switches off automatically after 60 minutes)
- ▶ 240V
- ▶ 31W (Belice) 22W (Malmo)
- ▶ 500mm Cable Included



SY9102
Belice 500mm x 700mm x 54mm
£299.00



SY9100
Malmo 390mm x 500mm x 54mm
£218.00



 Hangs in Portrait or Landscape




Stockholm 600mm x 800mm

Stockholm & Helsinki Classic


LED Mirror



- ▶ Hangs in Portrait or Landscape
- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x 1
- ▶ Natural White (4000K)
- ▶ Demister (Switches off automatically after 60 minutes)
- ▶ 240V
- ▶ 52W (Stockholm) 31W (Helsinki)
- ▶ 500mm Cable Included



SY9104
Stockholm 600mm x 800mm x 24mm
£297.00



SY9101
Helsinki 500mm x 700mm x 24mm
£231.00

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com




Oslo Classic


LED Mirror



- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x1
- ▶ Natural White (4000K)
- ▶ Demister (Switches off automatically after 60 minutes)
- ▶ 240V
- ▶ 20W
- ▶ 500mm Cable Included



SY9060
Oslo 600mm x 600mm x 24mm
£214.00

 Perfect for En-Suites




Florence Classic

LED Mirror




- ▶ IP44 Rated
- ▶ Diffused LED Border
- ▶ Touch Sensor x1
- ▶ Natural White (4000K)
- ▶ 240V
- ▶ 20W
- ▶ 500mm Cable Included




SY9061

Florence 390mm x 500mm x 24mm

£165.00



 Built-in Motion Sensor





Comino 2 - 500mm x 700mm

Comino 1 & 2

Lithium Battery LED Mirror



- ▶ Easy to install - no wiring necessary
- ▶ Two sizes available
- ▶ Battery Operated - Removable battery pack easily removed for charging via USB cable (Included)
- ▶ Illuminates for up to 3 months from one single charge (based on 20 minutes usage per day)
- ▶ Built-in Motion Sensor - Switches light off automatically after 2 minutes of no movement
- ▶ IP44 Rated
- ▶ Diffused LED Panel to top of mirror
- ▶ On/off Switch
- ▶ Natural White (4000K)
- ▶ 3.7V 2500mAh Lithium Battery Included
- ▶ 2 Year Guarantee



SY9107/1

Comino 1 - 390mm x 500mm x 34mm

£119.00

SY9107/2

Comino 2 - 500mm x 700mm x 34mm



£139.00

Lorraine

LED Vanity Mirror



- ▶ Rechargeable 5V Lithium Battery
- ▶ IP20 Rated
- ▶ Touch On/Off Button
- ▶ Black stand Included
- ▶ Adhesive Back to Mirror
- ▶ Natural White (4000K)
- ▶ Rechargeable via USB (Cable Included)
- ▶ Takes 1.5 hours to fully charge
- ▶ 2 Hours usage from fully charged
- ▶ 2 x Magnification
- ▶ Built in eye protection with extreme low blue light
- ▶ 12 Month guarantee



SY9011

Lorraine 155mm x 155mm x 17.4mm


£26.00

Titan

LED Vanity Mirror



- ▶ Rechargeable 5V Lithium Battery (4000mAh)
- ▶ IP20 Rated
- ▶ Touch On/Off/Dim Button
- ▶ Natural White (4000K)
- ▶ Rechargeable via USB (Cable Included)
- ▶ Built-in Sensor - switches off after 20 seconds of no movement.
- ▶ Stays active for 15 minutes so will switch back on again when further movement is sensed within this time.
- ▶ Lasts up to 2 hours when fully charged
- ▶ 12 Month guarantee



SY9021
Titan 220mm x 383mm
£112.00


Prices listed are R.R.P including VAT

Demister

Pad



- ▶ 12vdc
- ▶ 15W
- ▶ 274mm x 265mm
- ▶ Input < 3.0W/dm²
- ▶ Temperature Rise 10–20 °C
- ▶ IP65
- ▶ 12 Month guarantee



SY8021
265mm x 274mm
£17.02

T: +44 (0) 113 286 6686 www.sycamoreLED.com



Ceiling Lighting

Mains Voltage no LED Driver required

Magnetic bezels available in different colours for Riga Collection

NEW!



Loop in - loop out terminal



Loop in - loop out terminal

Riga Flex - Switchable & Multi Wattage



Finish: White (Chrome, Brushed Nickel, Matt Black, Gold or Copper bezel available to purchase separate)

Power Supply: 240V

LED Colour: Switchable (Very Warm, Warm, Natural or Cool White)

Kelvins: Switchable (2700K, 3000K, 4000K or 6000K)

Wattage: Switchable - 4W, 6W, 8W

Total Lumens: 4W >400lm, 6W >600lm, 8W >800lm

CRI: Ra >80

IP Rating: IP65

Beam Angle: 60°

Cut Out Size: 70mm

LED Downlight White

SY9067WH

£20.40

Chrome Bezel

SY9068CC

£3.00

Brushed Nickel Bezel

SY9068BN

£3.00

Matt Black Bezel

SY9068BK

£3.00

Gold Bezel


SY9068G

£3.00

Copper Bezel

SY9068CO

£3.00



Riga Uno



Finish: White (Chrome, Brushed Nickel, Matt Black, Gold or Copper bezel available to purchase separate)

Power Supply: 240V

LED Colour: Warm White/Natural White

Kelvins: 3000-3500K/4000K-4500K

Wattage: 6W

Total Lumens: 600lm

CRI: Ra >80

IP Rating: IP65

Beam Angle: 40°

Cut Out Size: 68mm - 70mm

LED Downlight White

Warm White - SY9057WW

Natural White - SY9057NW

£15.11

Chrome Bezel

SY9051CC

£2.51

Brushed Nickel Bezel

SY9051BN

£2.51

Matt Black Bezel

SY9051BK

£1.25

Gold Bezel


SY9051G

£2.51

Copper Bezel

SY9051CO

£2.51



Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 84 - 85

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com



Aspen

LED Ceiling Lights


 5 YEAR GUARANTEE




Aspen 1 Tunable & Bluetooth Speaker

Finish: Opaque
Power Supply: 240V
LED Colour: Tunable White (Warm/Natural/Cool White)
Kelvins: Tunable White (3000K/4000K/6000K)
Wattage: 17W (+ 6W Speaker)
Total Lumens: 1200lm
CRI: >Ra 80
IP Rating: IP44

Includes remote control




SY9012
250mm (dia) x 69mm
£89.00



Aspen 2

Finish: Opaque
Power Supply: 240V
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 17W
Total Lumens: 1200lm
CRI: >Ra 80
IP Rating: IP44



SY9010
250mm (dia) x 60mm
£57.00

IP44 Decorative

Ceiling Lights



Cheston Ceiling

Finish: Chrome plated with clear ribbed glass shade

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 10W)

IP Rating: IP44

Projection: 300mm

Diameter: 240mm

Cheston Ceiling Light

SY97989

£166.00



Cheswick Ceiling

Finish: Chrome plated with clear glass shade

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 10W)

IP Rating: IP44

Projection: 245mm

Diameter: 200mm

Cheswick Ceiling Light

SY97638

£119.00



Milston Ceiling

Finish: Chrome plated with clear spiral design glass shade

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 10W)

IP Rating: IP44

Projection: 300mm

Diameter: 240mm

Milston Ceiling Light

SY97988

£166.00



Pulsa Ceiling

Finish: Matt Black painted metal-work with matt white glass shades

Power Supply: 240V

Lamp Type: 3 x G9 (purchased separate, max 3W)

IP Rating: IP44

Projection: 175mm

Diameter: 395mm

Pulsa Ceiling Light

SY94989

£146.00



Belfont Ceiling

Finish: Chrome effect plate with crystal detailing

Power Supply: 240V

Lamp Type: 3 x G9 (purchased separate, max 18W)

IP Rating: IP44

Projection: 120mm

Diameter: 300mm

Belfont Ceiling Light

SY61752

£198.41



Linear Ceiling

Finish: Satin Brass Plated

Power Supply: 240V

Lamp Type: 4 x G9 (purchased separate, max 3W)

IP Rating: IP44

Projection: 194mm

Width: 660mm

Depth: 640mm

Linear Ceiling Light

SY95509

£455.28



Angular 1 Ceiling

Finish: Black finished frame with matt white glass shades

Power Supply: 240V

Lamp Type: 4 x G9 (purchased separate, max 18W)

IP Rating: IP44

Projection: 195mm

Diameter: 290mm

Angular 1 Ceiling Light

SY96550

£341.00



Angular 2 Ceiling

Finish: Black finished frame with matt white glass shades

Power Supply: 240V

Lamp Type: 3 x G9 (purchased separate, max 3W)

IP Rating: IP44

Projection: 195mm

Width: 420mm

Depth: 160mm

Angular 2 Ceiling Light

SY95551

£269.64

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

(a) E27 Filament 5W LED Lamp Warm White (Dimmable) Round

(b) E27 Filament 5W LED Lamp Warm White (Dimmable) GLS

(c) E27 Filament 5W LED Lamp Warm White (Dimmable) Candle

(d) G9 2.5W LED Lamp Warm White

(d) G9 2.5W LED Lamp Natural White

Page 84 - 85

CR7239

£9.00

SY7986/E27GLS

£9.00

SY7986/E27

£9.00

CR3415

£5.04

CR3422

£5.04





Pendant Lighting

Mains Voltage no LED Driver required

IP44 Rated suitable for bathroom use



Eden E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 300mm, Dia 250mm

Eden E27 Pendant Matt Black
SY8823BL
£71.00



Colorado E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 300mm

Colorado E27 Pendant Matt Black
SY8824BL
£142.00



Colorado E27 Pendant

Finish: Antique Brass
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 300mm

Colorado E27 Pendant Antique Brass
SY8824AB
£142.00



Avon E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 350mm


Avon E27 Pendant Matt Black
SY8825BL
£155.00

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

- (a) E27 Filament 5W LED Lamp Warm White (Dimmable) Round
- (b) E27 Filament 5W LED Lamp Warm White (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp Warm White (Dimmable) Candle



Page 84 - 85

- CR7239 **£9.00**
- SY7986/E27GLS **£9.00**
- SY7986/E27 **£9.00**





Hudson E27 Pendant

Finish: Chrome Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 230mm

Hudson E27 Pendant
SY8826
£90.00



Madeira E27 Pendant

Finish: Holographic Chrome Shade*
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 230mm

Madeira E27 Pendant
SY8827
£116.00

* Please note each shade is unique in design



Yukon E27 Pendant

Finish: Chrome
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 180mm, Dia 280mm

Yukon E27 Pendant
SY8828CC
£106.00



Nile E27 Pendant

Finish: Smoky Black Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 300mm

Nile E27 Pendant
SY8829
£149.00



Clyde E27 Pendant

Finish: Clear Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 280mm

Clyde E27 Pendant
SY8830AC
£173.00



Ohio E27 Pendant

Finish: Clear Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 250mm

Ohio E27 Pendant
SY8831
£97.00

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!


Wireless Smart Controls (including dimming)

- (a) E27 Filament 5W LED Lamp Warm White (Dimmable) Round
- (b) E27 Filament 5W LED Lamp Warm White (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp Warm White (Dimmable) Candle

Page 84 - 85

- CR7239
- SY7986/E27GLS
- SY7986/E27

- £9.00
- £9.00
- £9.00





Danube E27 Pendant

Finish: Clear & Smoky Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 150mm

Danube E27 Pendant
SY8832
£103.00



Lena E27 Pendant

Finish: Smoky Black Glass with Dimples
Power Supply: 240V
Lamp Type: 1 x E27 Candle (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 260mm

Lena E27 Pendant
SY8833
£103.00



Yuna E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 205mm, Dia 290mm

Yuna E27 Pendant
SY8834B
£94.50



Volta E27 Pendant

Finish: Matt White
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 330mm, Dia 270mm

Volta E27 Pendant Matt White
SY8835W
£94.50



Volta E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 330mm, Dia 270mm

Volta E27 Pendant Matt Black
SY8835B
£94.50



Dawson E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 350mm

Dawson E27 Pendant
SY8836
£94.50

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)


- (a) E27 Filament 5W LED Lamp Warm White (Dimmable) Round
- (b) E27 Filament 5W LED Lamp Warm White (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp Warm White (Dimmable) Candle

Page 84 - 85

CR7239 £9.00

SY7986/E27GLS £9.00

SY7986/E27 £9.00





Wall Lighting

Mains Voltage no LED Driver required

IP44 Rated suitable for bathroom use



Axis Wall

Finish: Chrome effect with frosted plastic

Power Supply: 240V

Lamp Type: Built in 8W LED (6500K), 640lm total lumen

IP Rating: IP44

Dimensions: 120mm (projection), 42mm (h) x 400mm (length)

Axis Wall Light

SY78158

£54.00



Moda Wall

Finish: Ribbed and chrome effect plastic

Power Supply: 240V

Lamp Type: Built in 15W LED (6500K), 1350lm total lumen

IP Rating: IP44

Dimensions: 70mm (projection), 52mm (h) x 598mm (length)

Moda Wall Light

SY93493

£62.00



Newham Wall

Finish: Chrome plated with clear ribbed glass diffuser

Power Supply: 240V

Lamp Type: 2 x G9 (purchased separate, max 3W)

IP Rating: IP44

Dimensions: 75mm (projection), 315mm (h) x 75mm (width)

Newham Wall Light

SY97720

£122.00



Black Caged Wall

Finish: Matt black painted finish

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 6W)

IP Rating: IP44

Dimensions: 162mm (projection), 286mm (h) x 110mm (width)

Black Caged Wall Light

SY101448

£116.00



Astral Wall

Finish: Textured black finish with white diffuser

Power Supply: 240V

Lamp Type: Built in 12W LED (3000K), 520lm total lumen

IP Rating: IP44

Dimensions: 170mm (projection), 450mm (h) x 135mm (width)

Astral Wall Light

SY97101

£113.00



Herbert Wall

Finish: Textured black finish

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 10W)

IP Rating: IP44

Dimensions: 140mm (projection), 270mm (h) x 110mm (width)

Herbert Wall Light

SY92493

£169.26



Britton Wall

Finish: Chrome plate with clear and frosted glass

Power Supply: 240V

Lamp Type: 1 x G9 (purchased separate, max 18W)

IP Rating: IP44

Dimensions: 130mm (projection), 155mm (h) x 85mm (width)

Britton Wall Light

SY53385

£57.00



Arch Wall

Finish: Satin brushed gold plated finish with clear ribbed glass

Power Supply: 240V

Lamp Type: 1 x E27 (purchased separate, max 10W)

IP Rating: IP44

Dimensions: 229mm (projection), 302mm (h) x 150mm (width)

Arch Wall Light

SY97007

£136.00

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

- (a) E27 Filament 5W LED Lamp Warm White (Dimmable) Round
- (b) E27 Filament 5W LED Lamp Warm White (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp Warm White (Dimmable) Candle
- (d) G9 2.5W LED Lamp Warm White
- (d) G9 2.5W LED Lamp Natural White

Page 84 - 85

- CR7239 £9.00
- SY7986/E27GLS £9.00
- SY7986/E27 £9.00
- CR3415 £5.04
- CR3422 £5.04





Need some help?

Contact our technical team on
0113 2866686 or email
tech@sycamoreled.com



Accent Bathroom Lighting

LED Strip

Cabinet & Cupboard Lighting

Plinth Lighting

Shelving

Flexible LED Strip

IP65/IP67

 5 YEAR GUARANTEE



NEW



Niche Kit LED Strip IP65 (1 or 2m)

Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K - 4500K
Adhesive: 3M VHB
Cable Length: 1.5m at one end
Wattage: 9.6W per metre
CRI: Ra >80
IP Rating: IP65
Cut Marks: Every 25mm
LED's Per Metre: 120

Niche Kit 1m

1m Kit Natural White - SY6978NW-1M
£50.33

Niche Kit 2m

2m Kit Natural White - SY6978NW-2M
£76.32


Kits include the following;

1 or 2m length of LED strip

1 or 2m length of surface mounted extrusion with diffuser, clips and end caps

1 x 12Vdc LED Driver (15W for 1m kit, 20W for 2m kit)

1 x 2m extension cable

2.4mm (d)  8mm (w)





COB LED Strip IP65 (3m Reel)

Power Supply: 12Vdc
LED Colour: Warm /Natural White
Kelvins: 3000-3500K /4000K - 4500K
Adhesive: 3M VHB
Cable Length: 2m at both ends
Wattage: 4W per metre
CRI: Ra >80
IP Rating: IP65
Cut Marks: Every 25mm
LED's Per Metre: 480

IP65 COB 3m Reel

Warm White - SY9093WW
 Natural White - SY9093NW
£78.50

2.5mm (d)  8mm (w)



ARC LED Strip IP67 (5m Reel)

Power Supply: 12Vdc
LED Colour: Warm/Natural White*
Kelvins: 3000-3500K /4000K - 4500K*
Adhesive: 3M VHB
Cable Length: 2m at both ends
Wattage: 1.5W per metre/Black 3W per metre
CRI: Ra >80
IP Rating: IP67
Cut Marks: Every 25mm
LED's Per Metre: 60

IP67 ARC 5m Reel - Standard

Warm White - SY9026WW
 Natural White - SY9026NW
£92.82

IP67 ARC 5m Reel - Black

Warm White - SY9078WW
£92.82

* Black ARC only available in Warm White

4mm 



LED Strip IP65 (1,2 or 3m)

Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K /4000K - 4500K
Adhesive: 3M VHB
Cable Length: 1.5m at one end
Wattage: 4W Per Metre
CRI: Ra >80
IP Rating: IP65
Cut Marks: Every 50mm
LED's Per Metre: 60

IP65 1m


Warm/Natural White - SY8983WW/NW
£12.48

IP65 2m

Warm/Natural White - SY8984WW/NW
£21.58

IP65 3m

Warm/Natural White - SY8985WW/NW
£33.34

4.2mm (d)  8.3mm (w)



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports)

SY9980B **£11.28**

12Vdc 15W LED Driver (6 ports)

SY9739A/MF **£19.97**

12Vdc 20W LED Driver (6 ports)

SY7350A/MF **£27.44**

12Vdc 30W LED Driver (6 ports)

SY7715A **£31.50**

Prices listed are R.R.P including VAT

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 84 - 85

Door Sensors, Switches and Dimmers

Page 86 - 87

Extension Cables

2M - SY7183 **£1.31**

5M - SY7183/5 **£2.34**


Aluminium Extrusions

Page 80 - 81



Aluminium Extrusion

For LED Strip - Surface



Shallow Surface Mounted

Shallow Surface Mounted

1 Metre Aluminium - SY9573/1


£6.30

1 Metre Diffuser Cover - SY9573DIFF/1M

£1.76

2 Metre Aluminium - SY9573/2

£10.14



Surface Mounted


Surface Mounted

1 Metre Aluminium - SY7367

£7.58

2 Metre Aluminium - SY7367/2

£14.40



Surface Mounted

Surface Mounted


2 Metre Aluminium - SY7482

£19.85

2 Metre Matt Black - SY7482MB

£24.48

(including opal diffuser, end caps & mounting clips)




Slim Surface Mounted

Slim Surface Mounted

2 Metre Matt Black - SY7689BL

£22.20

(including opal diffuser & end caps)



Deep Surface Mounted

Deep Surface Mounted


1 Metre Aluminium - SY9583A/1

£12.60

2 Metre Aluminium - SY9583A/2

£22.06

(including opal diffuser, end caps & mounting clips)



2.5m Surface Mounted

Surface Mounted


2.5 Metre Aluminium - SY7988/2.5

£31.50

(including opal diffuser & end caps)

Aluminium Extrusion

For LED Strip - Recessed & Angled



Deep Recessed

Deep Recessed Extrusion



1 Metre Aluminium - SY7795/1

£12.72

2 Metre Aluminium - SY7795/2

£24.24

(including opal diffuser & end caps)



Recessed

Recessed Extrusion

1 Metre Aluminium - SY7388A

£9.95

2 Metre Aluminium - SY7392A

£20.09


2 Metre Matt Black - SY7392MB

£25.30

2.5 Metre Aluminium - SY7392A/2.5

£31.50

(including opal diffuser & end caps)



45° Diffuser Angled

Angled Extrusion with 45° Diffuser

1 Metre - SY7843A/1

£17.70



2 Metre - SY7843A/2

£31.50

2.5 Metre - SY7843A/2.5

£33.90

(including opal diffuser, end caps & mounting clips)



Curved Diffuser Angled

Angled Extrusion

1 Metre Aluminium with Opal Diffuser - SY7389A

£10.32

2 Metre Aluminium with Opal Diffuser - SY7409A

£22.32

2 Metre Matt Black with Opal Diffuser - SY7409BL/C

£26.40

2 Metre Matt Black with Black Diffuser - SY7409BL/B

£26.40

2.5 Metre Aluminium with Opal Diffuser - SY7409A/2.5

£33.90

(including diffuser, end caps & mounting clips)

Cabinet Lighting

Battery & 12vdc



Nova Pro 305mm Battery




- Finish:** Silver
- Lithium Battery:** 5v
- Battery Capacity:** 1100mAh
- Lighting Time:** 1 Month (based on 5 minutes usage per day without charge)
- Re-Charge Time:** 2.5 hours from no charge to full
- Charging:** Via USB Cable (included)
- LED Colour:** Natural White
- Kelvins:** 4000-4500K
- PIR Sensor Max Distance:** 4 Metres
- Guarantee:** 12 Months

Nova Pro 305mm

SY9040
£26.15

LED Driver not required



Sirius Connect Rec/Sur




- Finish:** Brushed Nickel
- Power Supply:** 12Vdc
- LED Colour:** Warm/Natural/Cool White
- Kelvins:** 3000-3500K/4000-4500K/6000-6500K
- Wattage:** 2.6W
- Total Lumens:** WW 177lm/NW 187lm/CW 177lm
- CRI:** WW Ra 82/NW Ra 85/CW Ra 86
- IP Rating:** IP44
- Beam Angle:** 120°
- Cable:** 2m
- Guarantee:** 5 Years

Recessed

- Brushed Nickel/Warm White - SY9566WW
- Brushed Nickel/Natural White - SY9566NW
- Brushed Nickel/Cool White - SY9566CW
- All recessed **£11.27**

Surface

- Brushed Nickel/Warm White - SY9567WW
- Brushed Nickel/Natural White - SY9567NW
- Brushed Nickel/Cool White - SY9567CW
- All surface **£12.73**



LED Drivers

Please do not exceed wattage stated above (not required for Battery Light SY9040)

12Vdc 8W LED Driver (3 ports)

SY9980B £11.28

12Vdc 15W LED Driver (6 ports)

SY9739A/MF £19.97

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa! Accessories not compatible with Battery Light.

Wireless Smart Controls (including dimming)

Page 84 - 85

Door Sensors, Switches and Dimmers

Page 86 - 87

Extension Cables

2M - SY7183 £1.31

5M - SY7183/5 £2.34



Plinth & Shelf Lighting



Available in a pack of 4 or 10



Max load on shelf 3Kgs

Verve 15mm



Finish: Stainless Steel/Matt Black*

Power Supply: 12Vdc**

LED Colour: Warm/Cool White

Kelvins: 3000-3500K/6000-6500K

Wattage: 0.2W per light

IP Rating: IP67

Cable: 1.5m

Guarantee: 5 Years

*matt black cover purchased separate **LED Driver included (max 10 lights)

10 Light Kit

Warm White SY9928A/WW

Cool White SY9928A/CW

£69.24

4 Light Kit

Warm White SY9936WW

Cool White SY9936CW

£41.52

Individual Light

Warm White SY9937WW


Cool White SY9937CW

£6.86

Black Cover

SY9939BK

£3.78



Vega Shelf 400/600mm



Finish: Aluminium

Power Supply: 240V

LED Colour: Natural White

Kelvins: 4000K - 4500K

Wattage: 13W (400mm) or 16W (600mm)

IP Rating: IP44

Guarantee: 5 Years

Max load on shelf 3Kgs.

400mm Shelf


SY8939

£116.92

600mm Shelf

SY8940

£150.25



Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa! (Not compatible with Vega LED Shelf)

Wireless Smart Controls (including dimming)

Page 84 - 85



Wireless Lighting Controls

Wireless Controls with various control options

Voice Control Compatible using free app

Turn On/Off & Dim connected lights

30m
control distance

Alexa! Turn Bathroom
Lights On!

Easy to install!

1. Choose required receiver
2. Choose required control option



Need some help?

Contact our technical team on
0113 2866686 or email
tech@sycamoreled.com



Receiver 12/24Vdc ON/OFF & DIMMING

Power Supply: 12Vdc/24Vdc

Compatible with all our 12/24Vdc LED Lighting. Switch on and off, and dim.

- Use in conjunction with the following;
- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

12Vdc Receiver (On/Off & Dimming)

SY7542B

£51.36

Wireless Wall Switches



These switches are available up to 3 gang, and can turn connected lights on and off. Lights can also be dimmed by pressing and holding the relevant switch. Includes push module (f) which makes the switches wireless.

Backbox required, purchased separate.

Requires 1X CR2032 battery, included.

Please note these switches are IP20 rated.

Wireless Wall Switches

1 Gang - SY9081/1

£20.59

2 Gang - SY9081/2

£26.12

3 Gang - SY9081/3

£31.24



Receiver 240V ON/OFF

Power Supply: 240V

Compatible with all our 240V LED Lighting and extractor fans. Switch on and off only.

Use in conjunction with the following;

- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

240V Receiver (On/Off)

SY9079

£31.50

Remote Controls



Control and dim up to 4 different zones of lighting using these remotes. Black remote Includes a scene saving button to save your favourite settings.

Black remote comes with an adhesive-backed wall holder, and both include 2 x AAA batteries.

Black Remote Control

SY9565A

£16.80

White Remote Control

SY9565

£16.80



Receiver 240V ON/OFF & DIMMING

Power Supply: 240V

Compatible with all our 240V LED Lighting. Switch on and off, and dim.

Use in conjunction with the following;


- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

240V Receiver (On/Off & Dimming)

SY9080

£52.04

Wall Panels



These panels can control 1 zone of lighting. They can be used to turn lights on and off, or dim to suit. Multiple receivers can be paired to one controller.

These panels require no wiring, and include an adhesive back to stick to the wall.

The round switch in model (c) & (d) can be removed and used as a hand-held remote, simply detach from the magnetic base.

Round Wall Panels (Single Zone)

(a) White - SY8817W

£20.16

(b) Black - SY8817B

£20.16

Detachable Round Wall Panels (Single Zone)

(c) White - SY8818W

£25.20

(d) Black - SY8818B

£25.20

Lighting Controls

Door & Swipe



Door/Swipe Sensor

Finish: White
Power Supply: 12/24Vdc
Cable Length: 2m (Input & Output Cables 1m)
Max Current: 10A
Sensor Range: Up to 70mm
Wattage: 12Vdc 100W/24Vdc 200W
IP Rating: IP20
Mounting: Recessed or Surface
Guarantee: 12 Months




Magnetic Door Sensor

Finish: Silver
Power Supply: 12/24Vdc
Cable Length: 200mm
Max Current: 8mA
Sensor Distance: 5m
Wattage: 12Vdc 36W/24Vdc 72W
IP Rating: IP20
Mounting: Surface
Guarantee: 12 Months

Kit includes 1x controller and specified number of wireless magnetic door sensor switches.

SY8814A
Single Door
£22.78

SY8814A/DD
Double Door
£26.16




SY2449/1
Single Door Kit
£38.05

SY2449/2
Double Door Kit
£55.08

SY2449/3
Triple Door Kit
£72.20

SY2449/4
Quad Door Kit
£89.32



Need some help?

Contact our technical team on
0113 2866686 or email
tech@sycamoreled.com

Lighting Controls

PIR Motion Sensors




Wireless PIR Sensor

Finish: White
Power Supply: Battery Operated
Sensor Distance: Up to 7m
Sensor Range: 120°
Adjustable Timer: 30 - 60 Minutes*
IP Rating: IP54
Mounting: Surface via adhesive pad
Battery: CR1233A 3V included
Guarantee: 12 Months

Requires receiver (listed below)

* Timer is set to turn of lights if no movement has been sensed after 30 seconds. To adjust from 30 seconds through to 60 minutes, a remote control is required, listed below. The remote can also adjust the brightness sensitivity from 20% to 100%, with the default setting being 100%.



SY8963RF/A
 Wireless PIR Sensor
£38.50

SY7542B
 12Vdc Receiver
£51.36

SY7079
 240V On/Off Receiver
£31.50

SY7080
 240V On/Off/Dimming Receiver
£52.04


SY9565A - Black Remote
SY9565 - White Remote
 Black/White Remote Control (for adjusting time and brightness sensitivity if required)
£16.80

Prices listed are R.R.P including VAT




Micro PIR Sensor

Finish: White
Power Supply: 12/24Vdc
Cable Length: 2m (Input & Output Cables 1m)
Max Current: 10A
Sensor Distance: 1 - 3m
Sensor Range: 120°
Adjustable Timer: 30 - 150 Seconds
Wattage: 12Vdc 100W/24Vdc 200W
IP Rating: IP20
Mounting: Recessed or Surface
Guarantee: 12 Months




SY8815A
 Micro PIR Sensor
£21.42



PIR Sensor

Finish: White (Silver cover available to purchase separate)
Power Supply: 240V
Sensor Distance Seated: 4m
Sensor Distance Walking Across: 10m
Sensor Distance Walking Towards: 6m
Sensor Range: 360°
Timer Adjustment: 30 Seconds to 30 Mins
Lux Adjustment: 10 - 2000Lux
Cut Out Size: 34mm
IP Rating: IP20 (IP65 Cover available to purchase separate)
Guarantee: 12 Months



SY7262A
 PIR Sensor
£126.64

SY7561
 Silver Cover
£5.03

SY7898
 IP65 Cover
£13.24

iCON Fans

iCON 15, 30 & 60



iCON 15

Ideal for toilets, en-suites, shower rooms and bathrooms.

- Finish:** White (other covers available on page 89)
- Extract Volume:** 19 l/sec
- Sound Pressure d B (A) @ 3M:** 28.8
- Fan Type:** Axial
- Mounting (Wall/Ceiling):** Recessed
- Weight (Kg):** 0.74
- Outlet (dia):** 100mm
- Power:** 9.4W
- Voltage:** 230/IPH/50Hz
- Max Amb. Temp:** 40 °C
- IP Rating:** IPX4
- Guarantee:** 3 Years



iCON 30

Ideal for larger toilets, bathrooms & utility rooms.

- Finish:** White (other covers available on page 89)
- Extract Volume:** 32 l/sec
- Sound Pressure d B (A) @ 3M:** 33.3
- Fan Type:** Mixed
- Mounting (Wall/Ceiling):** Rec and Sur
- Weight (Kg):** 1.11
- Outlet (dia):** 100mm
- Power:** 26.4W
- Voltage:** 230/IPH/50Hz
- Max Amb. Temp:** 40 °C
- IP Rating:** IPX4
- Guarantee:** 3 Years




iCON 60


Ideal for large bathrooms, utility rooms, and domestic kitchens.

- Finish:** White (other covers available on page 89)
- Extract Volume:** 78 l/sec
- Sound Pressure d B (A) @ 3M:** 41.6
- Fan Type:** Mixed
- Mounting (Wall/Ceiling):** Rec and Sur
- Weight (Kg):** 1.97
- Outlet (dia):** 150mm
- Power:** 9.4W
- Voltage:** 230/IPH/50Hz
- Max Amb. Temp:** 40 °C
- IP Rating:** IPX4
- Guarantee:** 3 Years


VARIOUS MODULES & ALTERNATIVE COLOUR COVERS AVAILABLE ON PAGE 89




iCON 30 (recessed)




iCON 60 (recessed)



iCON 30 (surface)



iCON 60 (surface)





SY7070
iCON 15 Fan White
£140.00

SY7101
iCON 30 Fan White
£261.00

SY7660
iCON 60 Fan White
£343.98

iCON Fan

Accessories – Modules & Covers




Modules

SY7071	(a) PCM Module Pull Cord	£38.50
SY7072	(b) TM Module Timer	£45.50
SY7094	(c) HTM Module Humidity/Timer/Pull Cord	£103.00
SY7095	(d) PRTM Module PIR/Timer	£183.00
SY7096	(e) PRHTM Module PIR/Humidity/Timer	£200.00

iCON 15 Covers

SY7097ANTH	Anthracite	£60.00
SY7097CC	Chrome	£203.00
SY7097NB	Navy Blue	£60.00
SY7097SAND	Sandstone	£60.00
SY7097SIL	Silver	£60.00
SY7097TQ	Turquoise	£60.00
SY7097UG	Ultimate Grey	£60.00

Accessories



SY7099	(f) Terracotta 100mm Cavity Wall & Grille	£28.50
SY7100	(g) Terracotta Flexi 100mm Cavity Wall & Grille	£28.50
SY7008B	(h) Round PVC Duct & Gravity Outlet Kit	£23.40

Accessories not suitable for iCON 60

iCON 30 Covers

(Also suitable for iCON 30S on page 90)

SY7098ANTH	Anthracite	£66.00
SY7098NB	Navy Blue	£66.00
SY7098SAND	Sandstone	£66.00
SY7098SIL	Silver	£66.00
SY7098TQ	Turquoise	£66.00
SY7098UG	Ultimate Grey	£66.00

iCON 60 Covers

SY7760/C/ANTH	Anthracite	£70.56
SY7760/C/NB	Navy Blue	£70.56
SY7760/C/SAND	Sandstone	£70.56
SY7760/C/SIL	Silver	£70.56
SY7760/C/TQ	Turquoise	£70.56
SY7760/C/UG	Ultimate Grey	£70.56

Extractor Fans

iCON ECO 30S Low Voltage, Quiet Air & Shower Light Fan




iCON 30s Low Voltage

Ideal for larger toilets, bathrooms, utility rooms - Low Voltage.


- Finish:** White (other covers available on page 89)
- Extract Volume:** 37 l/sec
- Sound Pressure d B (A) @ 3M:** 36.2
- Fan Type:** Mixed
- Mounting (Wall/Ceiling):** Rec and Sur
- Weight (Kg):** 0.84
- Outlet (dia):** 100mm
- Power:** 12.2W
- Voltage:** 12Vdc
- Max Amb. Temp:** 40 °C
- IP Rating:** IPX4
- Guarantee:** 3 Years

Pull cord/timer module available to purchase separate, listed below. Different colour covers and cavity wall accessories are available, listed on page 89.

iCON 30S (recessed)



iCON 30S (surface)



SY7079
iCON 30S Low Voltage Fan White
£377.00

SY7080
Pull Cord/Timer Module for Low Voltage Fan
£71.00


QuietAir Fan

Ideal for bathrooms, en-suites and toilets. ultra-quiet performance.

- Finish:** White or Black
- Extract Volume:** 20.8/25 l/sec
- Sound Pressure d B (A) @ 3M:** 25/30
- Fan Type:** Axial
- Mounting:** Wall/Ceiling
- Weight (Kg):** 0.8
- Outlet (dia):** 100mm
- Power:** 5/9W
- Voltage:** 230/1PH/50Hz
- Max Amb. Temp:** 40 °C
- IP Rating:** IP45
- Guarantee:** 3 Years

In addition, for QuietAir QT 100T (With Timer)

- Adjustable Timer (Minutes):** 6,10,15,21
- Interval Timer, Auto Start (hours):** 0,8,12,24



- SY7073**
QuietAir QT 100B White
£185.00
- SY7074**
QuietAir With Timer QT 100T White
£249.00
- SY7073BK**
QuietAir QT 100B Black
£185.00
- SY7074BK**
QuietAir With Timer QT 100T Black
£249.00

Cavity wall kits available on page 89


Shower Light Fan

Ideal for small and medium sized toilets, en-suites and bathrooms.

- Finish:** White and Chrome Bezel included
- Extract Volume:** 30 l/sec
- Sound Pressure d B (A) @ 3M:** 39
- Fan Type:** Axial
- Mounting:** Inline
- Weight (Kg):** 0.41
- Outlet (dia):** 150mm
- Power:** 16W (Fan only)
- Voltage:** 230/1PH/50Hz
- IP Rating:** IPX4
- LED Colour:** Natural or Cool White
- Guarantee:** 3 Years

Kit includes;

- Fan with timer
- Flex Duct
- Ties
- LED Lamp (Natural or Cool White option)
- Chrome and White Grille
- External Grille



- SY7688A/NW**
Natural White Kit
£169.00
- SY7688A/CW**
Cool White Kit
£156.00

Extractor Fans

Air-Stream Pro



Air-Stream Pro Extractor Fans with Timer

Ideal for bathrooms, kitchens, and other areas of damp/moist air or odour. With removable front plate for ease of cleaning.

Finish: White, Chrome, Stainless Steel & Black

Timer: Adjustable up to 30 minutes

Extract Volume: 20 l/sec

Sound Pressure d B (A) @ 3M: 35

Motor: Copper Winding

Mounting: Wall/Ceiling

Weight (Kg): 0.66

Outlet (dia): 100mm

Power: 9.5W

Voltage: 220 - 240V

IP Rating: IPX4

Guarantee: 2 Years

SY7059WH

Air-Stream Pro White

£59.00

SY7059CC

Air-Stream Pro Chrome

£59.00

SY7059SS

Air-Stream Pro Stainless Steel

£59.00


SY7059BK

Air-Stream Pro Black

£59.00

Cavity wall kits available on page 89

Prices listed are R.R.P including VAT



Shaver Sockets

Dual Voltage



Shaver Socket Chrome

Finish: Chrome
Power Supply: 240/110V
Guarantee: 12 Months

This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601



Shaver Socket White

Finish: White
Power Supply: 240/110V
Guarantee: 12 Months


This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601




Shaver Socket Black

Finish: Black
Power Supply: 240/110V
Guarantee: 12 Months


This shaver socket is suitable for use in bathrooms as required by IEE wiring regulations BS7671: 2001 Section 601



SY9660CC
 Chrome
£28.00



SY9258
 White
£22.50



SY9660BK
 Black
£64.00

Bathroom Regulations

All installations must comply to guidelines based on the zonal requirements. These regulations apply to domestic installations only.

SycamoreLED.com recommends that all electrical work carried out is done by a suitably qualified electrician in accordance with the current IET wiring regulations (18th edition).

Bathroom lights are classified using an IP (Ingress Protection) rating. The IP characters are followed by 2 numbers which refer to the level of protection against the ingress of foreign bodies (1st number) and protection against the ingress of liquids (2nd number).


Zone 0 - is inside the bath or shower. Any fitting used in this zone must be low voltage (max 12v) and be rated at least IP67 (immersion proof).

Zone 1 - is an area above the bath to a height of 2.25m from the floor. In this zone a minimum rating of IPX4 is required.

Zone 2 - is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone a minimum of IPX4 is required. Around a wash basin, a radius within 60cm is considered as zone 2.

Outside zones - has no special requirements unless water jets are likely to be used for cleaning purposes.

All zones - any electrical circuits in a bathroom must be protected by a 30 mA Residual Current Device (RCD). Electrical equipment exposed to water jets for cleaning purposes must be at least IPX5.



First digit - Solids						
0	1	2	3	4	5	6
No protection	Protected against touch by hand (50mm)	Protected against touch by fingers (12mm)	Protected against tools and wires (2.5mm)	Protected against tools and small wires (1mm)	Limited dust ingress protection	Total dust ingress protection










Second digit - Liquids								
0	1	2	3	4	5	6	7	8
No protection	Protection against condensation	Protection against water spray 15 degree from the vertical	Protection against water spray 60 degree from the vertical	Protection against water spray from any direction	Protection against low pressure water jets from any direction	Protection against high pressure water jets from any direction	Protection against immersion between 15cm and 1m depth	Protection against long term immersion under pressure

Looking for further assistance?

Please call our dedicated technical team for help with bathroom regulations, lighting plans or any other technical queries

T: 0113 2866686 or email tech@sycamoreLED.com

Glossary of Icons & Technical Data

	Indicates the compliance with the low voltage and electromagnetic compatibility
	Indicates the compliance with the applicable requirements from products sold within the UK.
	Class I lighting: includes earth protection as a complementary security measure against electrical shocks
	Class II lighting: includes a reinforced or double insulation as a protection against electrical shocks
	Class III lighting: the protection against electrical shocks comes from the supply of very low voltage tension
	Suitable for installation on normally combustible surfaces
	Suitable for use in furniture
	For indoor use only
	WEEE Compliant
ROHS	ROHS compliant

Colour Appearance and Colour Temperature

The most common terminology is to classify colour temperature as one of three options. These being warm white (approx 3000k), natural white (approx 4000k) and cool white (approx 6000k).

Colour Rendering Index (CRI)

This is a figure that indicates the accuracy of the reflective surface colour of an object when subjected to artificial light. For example an object in daylight on a reasonably sunny day will be subject to a CRI of 100 from the light source, which in this case would be daylight, the sun. Theoretically the colour of an object will be 100% true.

Once the same object is placed into a dark room and a light fitting with a CRI of 85 is illuminating it, then the colour of that object will be 85% of its true colour. Therefore the higher the CRI, the more accurate the colour.

Colour temperature has a bearing on this as a white object would appear "yellow" if illuminated by a warm white light source. Careful consideration has to be taken to ensure that the correct type of light with the correct CRI and colour temperature is selected for any given installation.

A CRI of 80 is the minimum standard.

Total Lumens

This relates to the amount of light (lumens) emitted from a light fitting in relation to the amount of power it uses to create this output. There are now regulations in place that state minimum lumens per watt criteria and any lights that do not conform aren't able to be used in certain applications. Advice should always be taken to ensure that the correct lighting is used on any installation.

Beam Angles


The beam angle of a light fitting allows the installer to determine the spacing of light fittings as to achieve the most uniform, consistent lighting onto the desired area.

ERP Directive

ERP Directive effective from 5th December 2019, commission regulation (EU) No 2019/2020 laid down new eco-design requirements for light sources and separate control gears.

Furthermore, the energy labelling was newly regulated and simplified in scope and was introduced for light sources from 1st September 2021.

A typical ERP label is shown.



EnabLED

LEDs and LED controls are the future of lighting, and as LED capabilities continue to evolve and expand, new markets are opening up all the time. Developing new, innovative solutions for tomorrow's new LED applications takes significant investment in research and design, so by joining the EnabLED licensing program, Sycamore LED has gained access to over 490 Signify inventions and patented technologies, which we can now build into our own products. With access to these cutting-edge technologies, we can gain greater freedom to design optimal solutions for our products. We can shorten our time to market and also achieve an excellent balance of cost-to-quality including cost-effectiveness in our component sourcing.

Please visit www.signify.com/enabled to confirm which companies are currently licensed in the scheme and what the EnabLED licensing program covers in more detail.



Terms and Conditions

1. **DEFINITIONS:** a) The "seller" means Sycamore Lighting Ltd. b) The "buyer" means the person who buys or agrees to buy the goods from the seller. c) The 'goods' means all items which the buyer agrees to buy from the seller.
2. **GENERAL:** Orders are only accepted subject to the Conditions of Sale set out below and the seller shall not be bound by any other terms, written, verbal or implied, or which are conditions customary in the trade and whether contained in customer's order or not. These conditions shall apply unless expressly varied by the seller in writing.
3. **TERMS:** Credit accounts are nett strictly within 30 days. Interest at a rate of 8% per annum above Bank of England base rate, together with any expenses incurred in collecting payments, will be added to the agreed price in respect of any part thereof not paid, on or before the due date. Where a new account is to be opened two trade references are required. The seller has the right to discontinue delivery without notice if the buyer defaults in payment, or if circumstances warrant such discontinuance. The seller also has the right to refuse credit terms to a buyer for any reason. Pro-forma orders will only be delivered when the seller has received payment in full, including confirmed clearance of any cheque.
4. **PRICES:** Whilst every endeavour will be made to deliver at the prices quoted, the seller reserves the right to invoice at the price ruling at the date of delivery. All prices are subject to VAT at the rate prevailing at the date of invoice.
5. **RISK AND DELIVERY:** a) Goods are delivered to the buyer when the seller makes them available to the buyer (or any agent of the buyer) at the seller's premises or other delivery point agreed by the seller and risk in the goods passes when they are delivered to the buyer. b) The seller shall not be liable for any penalty, loss, injury, damage or failure in delivery from any cause at all nor shall any such delay or failure entitle for any buyer to refuse to accept any delivery or to repudiate the contract. c) Any dates quoted by the seller for delivery of the goods are approximate only and shall not form part of the contract and the buyer acknowledges that in the performance expected of the seller no regard has been paid to any quoted delivery dates.
6. **CARRIAGE AND ADMINISTRATION CHARGES:** A carriage charge of £8.50 will be added to all invoices on orders of under £150.00 excluding VAT to UK mainland addresses. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note administration and delivery charges are subject to change without prior notice.
7. **CLAIMS:** Claims must be notified in writing within seven days of receipt, otherwise responsibility cannot be accepted. The seller's liability shall be limited to, at the seller's option, replacing the goods or refunding the price of the goods. Under no circumstances shall the liability of the seller exceed the price of the goods. Replacements for damaged goods will be charged and credit issued on the return of the damaged goods to the seller in the original packaging.
8. **RETENTION OF TITLE:** a) In spite of delivery having been made, property in the goods shall not pass from the seller until payment in full of the price by the buyer. B) Notwithstanding delivery, property in the goods shall not pass from the seller until all other sums owed by the buyer to the seller have been paid in full. c) Until payment in full for the goods, the buyer shall hold the goods on a fiduciary basis as a bailee for the seller. d) Whilst the buyer has the right to dispose of the goods in the ordinary course of business on a bona fide sale without notice to the customer of the seller's rights hereunder, the entire proceeds of sale or otherwise of the goods shall be held in trust for the seller until payment in full for the goods. e) Until payment in full for the goods the buyer hereby grants the seller the right to enter any premises where the goods are stored in order to re-possess or inspect them.
9. **BREACH AND INSOLVENCY:** If the buyer breaches any condition of this contract or becomes subject to an Administration Order or becomes bankrupt or has a receiver appointed for or distress is levied on any part of its assets or business or goes into liquidation or makes any composition with its creditors, the seller shall be entitled (whether in respect of this contract or any other) to: a) Withhold any further deliveries to the buyer and/or cancel the contract without liability; b) Appropriate any payment made by the buyer to such of the goods (whether supplied under this contract or any other) as the seller shall think fit; c) Immediate payment of all sums whatever, owing by the buyer to the seller notwithstanding any previous agreement to the contrary; d) Exercise any of its right pursuant to clause 8 above.
10. **PRODUCT INFORMATION:** Although the seller shall use its best endeavours to ensure that the information contained in the seller's catalogue is correct at the time of going to press, the seller shall not be under any liability for any damage, loss or expense resulting from any error or omission contained in the seller's catalogue. Goods supplied may vary in detail from the illustrations, drawings and descriptions (which are approximate and for guidance only) in the seller's catalogue as a result of improvements or modifications. Colour finishes will be maintained as accurately as possible, but matching cannot be guaranteed.
11. **FORCE MAJEURE:** The seller shall not be liable for any default due to any act of God, war, strikes, lock-outs or other industrial action, difficulties in obtaining labour or parts, government or other restrictions or regulations or other event beyond the reasonable control of the seller.
12. **LAW AND JURISDICTION:** All disputes arising out of or in connection with the contract shall be governed by English law and the buyer accepts the jurisdiction of the Courts Of England.
13. **RETURN AND RESTOCKING:** When goods are agreed for a return or cancellation the buyer shall pay a handling or restocking charge to cover administration and inspection charges involved in reprocessing products back into stock. The charge will be subject to change without prior notice but is currently 25% of the invoiced value of the goods. Non standard and special items ordered by the buyer cannot be accepted for return.
14. **GUARANTEES:** Refer to individual product specification. Terms and conditions apply to the guarantees, and lamp life of our products. Please refer to our website for further details.
15. **CUT OUT SIZES AND DIMENSIONS:** These are correct at time of printing. We do not recommend any holes are cut until goods are received and checked.

The company reserves the right to alter technical details without prior notification.

SycamoreLED.com
Unit 5A, Helios 47
3 Isabella Road
Garforth, Leeds
LS25 2DY

www.sycamoreLED.com



Tel: +44 (0)113 286 6686

sales@sycamoreLED.com

tech@sycamoreLED.com